

► Report Details

Address:
Sample, Sample

Requested by:
Sample

Grid Reference:
E: 123456 | N: 123456

Date:
13/12/2023

Report Reference:
Sample

Report ID:
300950

► Professional Opinion

1. ENVIRONMENTAL

PASS

► Consideration(s):

1.21 Radon Test

1.23 Contact Regulator

2. FLOOD

PASS

► No further recommendations


3. GROUND STABILITY

PASS

► Consideration(s):

3.05 Consult Surveyor

► Subject Site



Air Quality Index: **Some Polluted Areas (See 1.25)**

This page should always be read in conjunction with the full report. The Professional Opinion indicates the potential risks and any other potential issues associated with the property. The results should be disclosed to client and/or lender and/or insurer as appropriate.

- A 'Pass' is given if no potential property specific risk has been identified.
- A 'Pass with Considerations' is given where there are potential hazards in the locality to bear in mind, or if there are features nearby which some clients might consider could affect them.
- A 'Further Action' is given if there is a potential property specific risk and a further action is advised.

In the event of a request to review the Professional Opinion based on additional information, or if there are any technical queries, the professional advisor who ordered the report should contact us at insight-info@dyledurham.com, or call us on 0330 900 7500.



1. ENVIRONMENTAL (INC. CONTAMINATED LAND)

1.02 Remediation Warranty

YES

Unless contaminated land insurance has been requested at the time of purchase, this report has the benefit of a warranty providing cover of up to £100,000 for 6 years from the date of purchase in the event that the Local Authority serves a Part 2A Remediation Notice and remediation costs have to be borne by the property owner. Terms and conditions apply; please visit <https://futureclimateinfo.com/wp-content/uploads/2023/02/FCI-terms-and-conditions-v0223.pdf>

If the client and/or the lender requires cover in the form of contaminated land insurance, please contact CLS at www.cls.co.uk or call 01732 753 910 for further information.

1.03 Official Contaminated Land | Register Entries & Notices

PASS

Tonbridge and Malling District (B) Council data indicates that the property is not within 25 metres of an area of land that has been designated Contaminated Land under Part 2A of the Environmental Protection Act 1990.

1.18 Past Industrial Land Uses

PASS

In the Professional Opinion of the Environmental Risk Team the property is not on or within 25 metres of any former industrial land uses depicted on historic Ordnance Survey maps from which the level of environmental risk is likely to result in the land beneath the property being determined Contaminated Land within the meaning of Part 2A of the Environmental Protection Act 1990.

1.21 Radon Gas

PASS (WITH CONSIDERATIONS)

Data provided by the British Geological Survey (BGS) indicates that the property is in a Radon Affected Area.

This is because the property is in an Intermediate probability radon area (1% to 3% of homes are estimated to be at or above the Action Level for homes of 200 Bq m⁻³), however protective measures are not required.

Radon is a colourless, odourless radioactive gas formed by the radioactive decay of the small amounts of uranium that occur naturally in all rocks and soils. Studies in many countries have shown that increased exposure to radon increases the risk of lung cancer.

Whether or not the property is actually above or below the Action Level can only be established by testing.

CONSIDERATIONS: Public Health England provides a radon testing service which can be accessed at www.ukradon.org. The radon level should be measured in the property and, if necessary, remediated to below a Target Level of 100 Bq/m³. Enquiries can also be made to the vendor as to whether radon levels have been measured in the property, whether remedial actions were taken and if re-testing confirmed the effectiveness of installed measures.

1.23 Surface Dangers or Hazards | Hazardous Waste Registrations

PASS (WITH CONSIDERATIONS)

Data provided by the Environment Agency indicates that the property is within 25 metres of an industrial/commercial site that is/was known to produce hazardous waste.

It is possible that there may be issues associated with the creation and/or storage of hazardous waste types, where a site is registered as a Hazardous Waste Producer.

It should be noted that in England Hazardous Waste Registrations were withdrawn in 2016. As such no further updates would have been made on the current status of the registration.

CONSIDERATIONS: It is possible that issues associated with contamination and nuisance may arise where such an authorised treatment facility exists. However, it is recognised that this facility is authorised and regulated.

Any questions or concerns relating to management of the facility and potential impacts on surrounding uses should be directed to the relevant agency. Please find contact details at the end of this report.

1.24 Air Quality Management Area

NOTE

Although information on air quality is not included within the Environmental risk assessment in this report we are able to provide information from DEFRA.


Data provided by DEFRA indicates that the property is not in or within 100 metres of an Air Quality Management Area (AQMA). An AQMA is declared where the air pollutants occur above EU and Government targets, and where the council is required to create and follow an Air Quality Action Plan (AQAP) to improve air quality.

Please note that though this property is not within an Air Quality Management Area, this does not necessarily guarantee good air quality. For more information on air quality please visit <https://uk-air.defra.gov.uk/air-pollution/>.

1.25 Air Quality Index

NOTE

The MappAir® air quality dataset provided by Earthsense includes information on Nitrogen Dioxide (NO2) and Particulate Matter (PM2.5) from vehicle emissions and indications from other sources. The model gives an indication of annual mean pollution for 2016 at a resolution of 100 metres.



Some Polluted Area
Property Boundary

The data indicates that the property is in an area with a rating of 2 or Some Polluted Areas. A rating of 2 means there is a moderate chance of pollution levels exceeding healthy levels, particularly in poor weather conditions. There is a fair chance of higher pollutant concentrations around major roads.

For further information on air quality go to <https://uk-air.defra.gov.uk/>

1.27 Checked Datasets

The dataset categories analysed in this section are listed below. For more information, please visit our website.

Remediation Warranty	Official Contaminated Land Register Entries & Notices
Artificial Ground	Potentially Contaminative Current Land Uses
Electricity Infrastructure Electricity Pylons	Electricity Infrastructure Overhead Power Lines
Electricity Infrastructure Power Cables and Lines	Electricity Infrastructure Substations
Environmental Permits Closed Mining Waste Facilities	Environmental Permits End of Life Vehicles
Environmental Permits Industrial Sites	Environmental Permits Waste Sites
Fuel / Petrol Stations	Landfill Current
Landfill Historic	OFCOM Mast Site Clearance Locations
Past Industrial Land Uses	Pollution Incidents
Potentially Infilled Land	Radon Gas
Surface Dangers or Hazards COMAH Sites	Surface Dangers or Hazards Hazardous Waste Registrations



2. FLOOD (INC. JBA FLOODABILITY RATING)

2.01 River and Sea Flood Risk

PASS

Data provided by the Environment Agency indicates that there is a Negligible risk of flooding from River or Sea within 25 metres of the property.

2.02 Surface Water Flood Risk

PASS

Surface water flooding occurs when heavy rainfall overwhelms the drainage capacity of an area. In these instances, the rainwater does not drain away through the normal drainage systems or soak into the ground, but lies on or flows over the ground instead.

Data provided by JBA Risk Management Ltd (JBA) indicates that there is a negligible risk of Surface Water flooding within 5 metres of the property.

The result of the flood risk assessment in this report is based on the best available national flood models using the best available data sources, from the leading authorities. To avoid contributing to an unforeseen flood event, any drainage on the property should be kept free of blockages to ensure they are functioning to their design capacity so that they do not become overwhelmed.

2.03 Groundwater Flooding

PASS

Data provided by JBA indicates that the property has negligible risk from groundwater flooding.

2.04 Surface Water Features

PASS

The Ordnance Survey Map indicates that the property is not located within 250 metres of a body of surface water, such as a stream, river, canal, reservoir, lake or pond.

2.05 JBA Floodability Rating

PASS

The JBA Floodability Rating at this location is Clear. Clear indicates that the likelihood of flooding is Very Low.

JBA Floodability data is derived from their high resolution UK flood hazard maps which are used by most insurers when assessing flood risk. Where a higher rating is indicated further investigation into flood risk is usually advisable. For locations rating Black 1 (High) and Black 2 (Very High) there is more likely to be a correlation between JBA Floodability and a residential property being included within Flood Re by a participating insurer. However, please note that not all residential properties are eligible to benefit from Flood Re, see <http://www.floodre.co.uk/industry/how-it-works/eligibility/>. Further information about Flood Re is given within "Notes and Guidance – Insurance" at the end of this report.

Please always check that your Buildings Insurance policy covers Flood Damage, as the terms of any mortgage (if required) may require all risks to be covered to meet the lender's requirements.

2.06 Historic Flooding

PASS

Data provided by the Environment Agency indicates that the property is not in or within 250 metres of an area that has flooded in the past. This includes all types of flooding, including Groundwater. However, we would always recommend asking the vendor to confirm whether or not they are aware of any previous flooding at the property.

Please see the previous sections for the Flood Risk as of the date of this report.

2.07 Flood Storage

PASS

Data provided by the Environment Agency indicates that the property is not located within 25 metres of a Flood Storage Area (land designed and operated to store flood water).



2.08 Dam Break

PASS

Data provided by JBA identifies areas of England and Wales that are most likely to suffer damage to property following the sudden and catastrophic failure of a large reservoir embankment or dam. This is a worst case scenario, it's unlikely that any actual flood would be this large. The flooding is predicted using advanced modelling techniques to ascertain if a property or site is potentially at risk in such an event, although not all dams were modelled.

This property is not located in an area modelled by JBA as being in the potential path of water if a reservoir dam or embankment was to fail.

2.09 Sewer Flooding

NOTE

Please note that information on Sewer Flooding is not included in the flood risk assessment in this report. This information is held by the water company responsible for the public sewer network. Sewer flooding happens for a number of reasons but is most likely to occur during storms, when large volumes of rainwater enter the sewers and sewage escapes from a manhole or a drain, or by backing up through toilets, baths and sinks. Sewer flooding can also occur when pipes become blocked.

2.10 Checked Datasets

The dataset categories analysed in this section are listed below. For more information, please visit our website.

- River and Sea Flood Risk

Groundwater Flooding

JBA Floodability Rating

Flood Storage
- Surface Water Flood Risk

Surface Water Features

Historic Flooding

Dam Break

3. GROUND STABILITY

3.01 Professional Advice

For professional advice and guidance relating to the impact of any ground stability issues on your property please contact a Chartered Building Surveyor.

3.02 Property Subsidence Assessment - Clay Shrink-Swell

PASS

Shrink-swell refers to a change in soil volume as its moisture content changes. Clay-rich soils can absorb lots of water causing them to swell, the ground to rise and overlying structures to lift. This is known as heave. Heave can occur in wetter weather, or where excess water is introduced into the ground by damaged sewer or water pipes. In prolonged dryer weather, or where nearby trees and shrubs have high water demands, clay soils can become very dry. As a result, the ground shrinks, leading to subsidence. Shrink/swell-prone soils are found extensively across England and Wales, with soil shrinkage accounting for approximately 75% of all instances of subsidence.

The British Geological Survey (BGS) Property Subsidence Assessment dataset is a national assessment of Shrink-Swell susceptibility. As well as soil-type, it factors key environmental drivers such as the proximity of trees and the resilience of the property itself to cope with any movement (e.g. age, foundation depth). This provides a more property-specific assessment of susceptibility to shrink-swell related subsidence than considering geology alone.

The Property Subsidence Assessment data provided by the BGS indicates that the property is classified as having a **Non-Plastic** hazards score. This indicates the underlying geology is non-plastic and therefore cannot undergo any change in volume and therefore cannot have shrink-swell related subsidence.

3.05 Geohazards | Running Sand

PASS (WITH CONSIDERATIONS)

The British Geological Survey indicates that the property is within 50 metres of an area where there is the possibility for sand to be fluidised by water and 'run', with the potential to remove support from overlying buildings and cause subsidence damage.

CONSIDERATIONS: Normal maintenance to avoid leakage of water-bearing services or water bodies (ponds, swimming pools) should prevent any problems related to running sands.

Certain constraints may apply to land uses involving excavation or the addition or removal of water.

3.11 Mining | Hazards (Non-Coal)

PASS

The British Geological Survey indicates that the property is located within 50 metres of an area where sporadic underground mining of restricted extent may have occurred. potential for difficult ground conditions are unlikely and localised and are at a level where they need not be considered.

The Presence of past underground mining is not known to have occurred. Areas are categorized on the basis that the rock type present are known to have been worked in other areas. Areas therefore have the potential for underground mining but there is little or not evidence of mining activity. It should be noted, however, that there is always the possibility of the existence of other sub-surface excavations, such as wells, cess pits, follies, air raid shelters/bunkers and other military structures etc. that could affect surface ground stability but which are outside the scope of this dataset.

3.15 Checked Datasets

The dataset categories analysed in this section are listed below. For more information, please visit our website.

Property Subsidence Assessment - Clay Shrink-Swell
Geohazards | Compressible Ground
Mapped Landslides
Mining | Cheshire Brine Compensation Area
Mining | Mining Cavities (Non-Coal)

Geohazards | Collapsible Deposits
Geohazards | Running Sand
Landslips/slides | Slope Instability
Mining | Coal Mining
Mining | Hazards (Non-Coal)



Modified Ground Artificial Deposits Natural Cavities & Soluble Rocks	Modified Ground Historical Analysis
---	---------------------------------------

SAMPLE

4. NOTES & GUIDANCE

4.01 Report Notes

METHODOLOGY

The Retail report is designed for commercial conveyancing transactions (purchase, sale or renewal of a lease), where redevelopment or a change of use is not proposed. This report provides a desktop risk assessment of contaminated land liabilities (Liabilities) under the Contaminated Land Regime. The assessment is carried out on 'a Property' which is defined as the area of land and buildings specified by the customer.

The assessment is based upon the principle of determining the presence of a plausible contaminant-pathway-receptor relationship (a contaminant linkage) as outlined by the Environment Agency's Land contamination risk management web pages at <https://www.gov.uk/government/publications/land-contamination-risk-management-lcrm>. If all three are identified, then there must also be evidence of significant harm occurring, a significant possibility of significant harm or significant pollution or the possibility of significant pollution to Controlled Waters.

In our reports, **FURTHER ACTION** is only recommended when it is likely that the Local Authority could take action under the Contaminated Land Regime to enforce remediation of a Property. This will normally relate to Defra Category 1 or 2 sites. If no issues are identified, then the report will **PASS**.

If no issues have been identified which might result in regulatory action under the Contaminated Land Regime, but there are other material issues which the customer may wish to consider the report will **PASS (with Considerations)**.

If a report has a **FURTHER ACTION** or a **PASS (with considerations)** then recommendations are made to help resolve the issues identified. Some issues such as air quality are there for information only and in these situations this data is not assessed.

4.02 Contaminated Land

METHODOLOGY

The contaminated land risk assessment used in this report takes account of statutory Contaminated Land as well as information on the various land uses or processes which may have the potential to create Contaminated Land. These include, for example, relevant former industrial land uses shown on historical maps, current industrial land uses, and relevant industrial processes. Risks such as waste sites, licensed discharge consents, radioactive substances, pollution prevention and control licences, explosives, and dangerous substance inventory, Control of Major Accidents and Hazards (COMAH), and Notification of Installations Handling Hazardous Substances (NIHHS), and Planning Hazardous Substance sites are all very highly regulated and as such are excluded from the Contaminated Land risk assessment. Such features at or nearby the property are features that may be considered in the survey or valuation.

4.03 Flood Insurance

METHODOLOGY

An overall 'JBA Floodability Rating' is given in this report based solely on JBA Floodability data. This shows the combined flood hazard, in 5 metre grid cells, from multiple sources i.e. river, sea and surface water flooding. Over 85% of insurers use JBA data when assessing flood risk. The JBA Floodability Rating is represented by colour indicators (black, red, amber, green or clear). These indicators however provide no assurance or guarantee that insurance / insurance covering flood risk will or will not be available, no reliance should be placed upon the colour indicators, and appropriate additional enquiries should be made as to the actual availability (or not) of insurance / insurance covering flood risk. Every insurance application is unique, so other perils, risks or a previous claims history may mean that insurance is not available in any event.

4.04 Flood Risk and Impact on Value

METHODOLOGY

The flood risk assessment in this report is based on the best available historic, river, sea, and surface water flooding data. This includes data supplied by the Environment Agency, Natural Resources Wales and JBA Risk Management. A flood risk assessment using these data sources, however, should not be regarded as definitive. Because the flood risk assessment is based on theoretical risk models, there is always the possibility that exceptional weather conditions and/or failure of flood defences can cause flooding that was not anticipated. No site visit has taken place.

The Professional Opinion on flood risk given in this report is based on a flood risk assessment of River, Sea and Surface Water flooding, using Environment Agency, Natural Resources Wales and JBA Risk Management data. If there is a history of flooding it is reported but it is not included in the flood risk assessment because circumstances can change, for example the provision of flood defences, causing the flood conditions to be different today. Susceptibility to groundwater flooding is reported but is also not included in the flood risk assessment; this is because the data identifies geological conditions which could enable groundwater flooding to occur, but does not model the risk of such an occurrence.

RICS advises that flood risk does reduce the value of a property, compared with a similar property without such a risk. This depends on the particular circumstances of the property, any history of flooding, and the provision of flood defences. For some 'at risk' property, for example, the reduction in value may be offset by an increase due to the property's amenity value close to a river, stream or coast.

4.05 Flood Planning, Flood Warning and Reporting, and Flood Resistance and Resilience Measures

CONSUMER INFORMATION

Detailed advice on flooding and resistance and resilience measures, flood risk planning and costs, and flood warning and reporting systems, is available from the following websites:

English Government: <https://www.gov.uk/prepare-for-a-flood/find-out-if-youre-at-risk>

Natural Resources Wales: <https://naturalresources.wales/flooding?lang=en>

Insurance Industry: <https://www.abi.org.uk/Insurance-and-savings/Topics-and-issues/Flooding>

4.06 Limitations

METHODOLOGY

The Retail report is primarily intended for the assessment of commercial property comprising single small (<0.25Ha) commercial sites where the principle activity is the sale or display of goods or services (from the premises) to walk-in members of the general public, with the exclusion of garages, petrol stations and retail stores associated with petrol stations. Any use of this report for the assessment of properties which do not meet this description may not benefit from Dye & Durham (UK) Limited's (formerly Future Climate Info Limited) Remediation Warranty, where this is indicated as being available in Section 1.

Dye & Durham (UK) Limited (formerly Future Climate Info Limited) reports have been designed to satisfy standard environmental due-diligence enquiries, as recommended by the Law Society's contaminated land warning card. It is a 'remote' investigation and reviews only information provided by the client and from the databases of publicly available information that have been chosen to enable a desk based environmental assessment of the Site. The Report does not include a site investigation, nor does Dye & Durham (UK) Limited (formerly Future Climate Info Limited) make specific information requests of the regulatory authorities for any relevant information they may hold. Therefore, we cannot guarantee that all land uses or factors of concern will have been identified by the Report. The information in the Data Section of the Report is derived from a number of statutory and non-statutory sources. While every effort is made to ensure accuracy, Dye & Durham (UK) Limited (formerly Future Climate Info Limited) cannot guarantee the accuracy or completeness of such information or data. Dye & Durham (UK) Limited (formerly Future Climate Info Limited) will not accept responsibility for inaccurate data provided by external data providers. For further information regarding the datasets reviewed within our assessment, please contact one of our technical team on 0330 900 7500.

4.07 Terms of Use

T&Cs, QUERIES & COMPLAINTS

This report is supplied by Dye & Durham (UK) Limited (formerly Future Climate Info Limited) subject to Terms and Conditions of Business, available at <https://futureclimateinfo.com/wp-content/uploads/2023/02/FCI-terms-and-conditions-v0223.pdf>. In the event of product and content queries please contact insight-info@dyedurham.com. Our formal complaints procedure can be found at <http://www.futureclimateinfo.com/complaints>.

4.08 Search Code

CONSUMER INFORMATION

IMPORTANT CONSUMER PROTECTION INFORMATION

This search has been produced by Dye & Durham (UK) Limited (formerly Future Climate Info Limited), Imperium, Imperial Way, Reading, Berkshire, RG2 0TD, Telephone 0330 900 7500, Email: insight-info@dyedurham.com, which is registered with the Property Codes Compliance Board (PCCB) as a subscriber to the Search Code. The PCCB independently monitors how registered search firms maintain compliance with the Code.

The Search Code:

- Provides protection for homebuyers, sellers, estate agents, conveyancers and mortgage lenders who rely on the information included in property search reports undertaken by subscribers on residential and commercial property within the United Kingdom.
- Sets out minimum standards which firms compiling and selling search reports have to meet.
- Promotes the best practice and quality standards within the industry for the benefit of consumers and property professionals.
- Enables consumers and property professionals to have confidence in firms which subscribe to the code, their products and services.

By giving you this information, the search firm is confirming that they keep to the principles of the Code. This provides important protection for you.

The Code's core principles

Firms which subscribe to the Search Code will:

- display the Search Code logo prominently on their search reports.
- act with integrity and carry out work with due skill, care and diligence
- at all times maintain adequate and appropriate insurance to protect consumers
- conduct business in an honest, fair and professional manner
- handle complaints speedily and fairly
- ensure that products and services comply with industry registration rules and standards and relevant laws
- monitor their compliance with the Code

Complaints

If you have a query or complaint about your search, you should raise it directly with the search firm, and if appropriate ask for any complaint to be considered under their formal internal complaints procedure. If you remain dissatisfied with the firm's final response, after your complaint has been formally considered, or if the firm has exceeded the response timescales, you may refer your complaint for consideration under The Property Ombudsman scheme (TPOs). The Ombudsman can award compensation of up to £5,000 to you if the Ombudsman finds that you have suffered actual financial loss and/or aggravation, distress or inconvenience as a result of your search provider failing to keep to the Code.

Please note that all queries or complaints regarding your search should be directed to your search provider in the first instance, not to TPOs or to the PCCB.

TPOs Contact Details:

The Property Ombudsman scheme, Milford House, 43-55 Milford Street, Salisbury, Wiltshire SP1 2BP
Tel: 01722 333306, Fax: 01722 332296, Email: admin@tpos.co.uk, Web: <https://www.tpos.co.uk/>
You can get more information about the PCCB from www.propertycodes.org.uk

PLEASE ASK YOUR SEARCH PROVIDER IF YOU WOULD LIKE A COPY OF THE SEARCH CODE

4.09 Report Licensing

METHODOLOGY

© Crown copyright and database rights
2023 Ordnance Survey 100049731



5. USEFUL CONTACTS

Local Authority : Tonbridge and Malling Borough Council
Tel: 01732 844 522
Visit: <http://www.tmbc.gov.uk/>

Environment Agency | 1 North Lutra House, Dodd Way, Off Seedlee Road, Bamber Bridge, Preston. PR5 8BX
Tel: 08708 506 506
Visit: www.environment-agency.gov.uk
Email: enquiries@environment-agency.gov.uk

Natural Resources Wales
Tel: 0300 065 3000
Visit: <http://naturalresources.wales/>
Email: enquiries@naturalresourceswales.gov.uk

JBA Risk Management Ltd | 1 Broughton Park, Old Lane North, Broughton, Skipton, North Yorkshire. BD23 3FD
Tel: 01756 799919

Public Health England | Wellington House, 133-155 Waterloo Road, London. SE1 8UG
Tel: 020 7654 8000
Visit: <https://www.gov.uk/government/organisations/public-health-england>



Email: enquiries@phe.gov.uk

Public Health Wales | 2 Capital Quarter, Tyndall Street, Cardiff, CF10 4BZ

Tel: 029 2022 7744

Visit: <http://phw.nhs.wales/>

The Coal Authority Property Search Services | 200 Lichfield Lane, Berry Hill, Mansfield, Nottinghamshire. NG18 4RG

Tel: 0845 762 6848

Visit: www.groundstability.com

Email: groundstability@coal.gov.uk

The British Geological Survey | Environmental Research Centre, Keyworth, Nottingham, NG12 5GG

Tel: 0115 936 3143

Visit: <http://www.bgs.ac.uk/>

Email: enquiries@bgs.ac.uk

Ordnance Survey | Customer Services Ordnance Survey Adanac Drive Southampton SO16 0AS

Tel: 08456 05 05 05

Visit: www.ordnancesurvey.co.uk/

Department for Business, Energy & Industrial Strategy | 1 Victoria Street London SW1H 0ET

Tel: 020 7215 5000

Email: enquiries@beis.gov.uk

SAMPLE